



Poly Rove Multi Cell DECT 1880-1900 MHz B4 Base Station (8J8W4AA)

Overview

Scalable. Secure. Safe

Secure your conversations with the Poly Rove B4 base station DECT™ end-to-end encryption. Built for enterprise deployments and compatible with any of the Poly Rove handsets and the Rove R8 repeater, the Rove B4 base station keeps teams going.

Scalable to grow

Meet the Poly Rove B4 base station. It's compatible with all Poly Rove products and easily scales with your growth. So, no more stressing about outgrowing your communication solution.

Every call stays secure

Communicate with confidence using the Poly Rove B4 base station. DECT™ tech ensures end-to-end encryption for seamless, private conversations from handset to base station.

Features

Scalability made easy

A highly scalable solution, the premium multi-cell DECT™ base station, can grow with an organization up to 254 base stations which provides up to 2,000 concurrent calls at one time.

Extend your employees range

Employees can move around effortlessly with an indoor range of up to 50 m/164 ft and up to 300 m/984 ft outdoors. Extend your reach significantly, depending on the environment, as a Rove R8 repeater is added.^[1]

Multi Cell DECT™ Base Stations

Premium multi-cell DECT™ base station for enterprise deployments needing 15,000+ sq ft of coverage. Compatible with the Rove 20, Rove 30, Rove 40 handsets, and up to 3 Rove R8 Repeaters.

Maximum security

Conversations are safe and secure with DECT™ wireless security. And it doesn't stop there - maintain DECT™ encryption even when you add a base or repeater to your solution.

[1] The Rove B4 base stations are compatible with up to 3 Poly Rove R8 repeaters per base station. Range increases by up to 50 m/164 ft (indoor) or up to 300 m/984 ft (outdoor), depending on environment, as a repeater is added.

Specifications

Audio	DTMF tone generation (RFC 2833 and in-band)
Weight	179 g
Weight	0.39 lb
Ports	1 RJ-45 (10/100/1000BASE-TX Mbps)
Package dimensions (W x D x H)	184 x 139 x 44 mm
Package weight	300 g
Energy star certified	ENERGY STAR® certified
Security management	DECT™ security certified
UPC number	(ABB) 196548132874; (UUF) 196548132836
Manufacturer Warranty	Poly standard one-year limited warranty
What's in the box	Desk stand; Safety information sheet; Quick start guide; Base station; Ethernet cable

Additional specifications

Audio codecs	G.711 (A-law and μ -law)
Cartons per layer	6
Cartons per pallet	54
Certifications and compliances	UL 62368-1
Certified collaboration software	Zoom
Color	Black
Country of origin	Made in China
DECT frequency	1880 to 1900 MHz
ECCN	5A991
HTS code	8517610000
Management Software	Polycom Device Management Service for Service Providers (PDMS-SP) Cloud Management
Multiple order quantity	10
Network protocols, supported	Manual or dynamic host configuration protocol (DHCP) network setup; IPv4
Operating humidity range	5 to 95%
Operating temperature range	14 to 131°F
Operating temperature range	-10 to 55°C
Package dimensions (W x D x H)	7.48 x 8.26 x 2.16 in
Package weight	0.66 lb
Pallet (layers)	9
Pallet dimensions	40 x 48 x 58.66 in
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Pallet weight	787.05 lb
Power	External universal AC adapter: 5V 2A DC; Power over Ethernet (PoE)
Products per pallet	540
Products per pallet layer	60
Storage temperature range	-40 to 158°F
Storage temperature range	-40 to 70°C
Telephony and call handling features	Shared call/bridged line appearance; Up to 2,000 simultaneous calls
UNSPSC code	43191606
VoIP features	Up to 1,000 SIP registrations per system

Wireless range Up to 50 m indoor

Wireless range (imperial) Up to 165 ft indoor

Services

Poly Services

★ : Recommended

Poly Support Services

3 Year Poly+ Rove B4 Multi Cell DECT Base Station	P86830312 ★
1 Year Partner Poly+ Rove B4 Multi Cell DECT Base Station	P86830160
1 Year Poly Elite Rove B4 Multi Cell DECT Base Station	E86830112
1 Year Poly+ Rove B4 Multi Cell DECT Base Station	P86830112
3 Year HW Repl for Ring Central as defined in the SOW Poly Rove B4 Multi Cell DECT Base Station	U72B6PP
3 Year Partner Poly+ Rove B4 Multi Cell DECT Base Station	P86830362
7 Year HWR Rove B4 Multi Cell DECT Base Station NBD with Poly DaaS Svc	D7YLLT032

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Oct 22, 2024 10:45 AM UTC+0000